43 inch

SMART OUTDOOR SIGNAGE

BV-OF4314-B

Inheriting the exquisite craftsmanship and advanced special effects of this product series, the appearance design is more beautiful, the piano paint is matched with the wire drawing process, the ultra-thin frame, and Seven new colors are added.
Only willing to create a new visual impact for the business.

- IP65 24/7 use
- 14 hours long working time
- 1500 Nits high brightness
- Front protection
- Plug and Play
- Front stereo
- Interfaces are hidden
- Mobile APP control
- Built-in GPS anti-theft (optional)
- Touch function (optional)

More configurations are available: high brightness/low brightness, indoor/outdoor, built-in battery/no battery

Features

IP65 Rated Weatherproof Enclosure

Built-in GPS, Anti-theft Enhancement

Long Running Time

Charge level indicator

1500 Nits Brightness IPS Panel (Option 700Nits)

Stylish Robust Enclosure with seven colors

Various Control Methods

Secure Locking Bar

Front Stereo Speakers

All interfaces are hidden

Website: www.betvis.com

Email: info@betvis.com

Phone: +86 21 57622267

Address: No.865, Jiuxin Road, Shanghai,China

Specifications

Item	Sub Item	43'' Smart TFT-LCD
Panel	Display Model	BOE IPS High TNI 105 °C
	Resolutions	1920x1080 (FHD)
	Display Area(mm)	940.896(H) x 529.254(V)
	Aspect Ratio	0.672916667
	Brightness (cd/m²)	1500
	Colour	16.7M
	Viewing Angle	178°
	Contrast Ratio	4000:1
	Touch	optional function
Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA) , Image (JPG, GIF, BMP, PNG)
	Media Resolution	1080x1920 (Downward compatibility)
	CPU	RK3288, Quad core CPU Frequency: 1.8GHZ
	GPU	Mali-T764 GPU MP4 Quad core GPU Support OpenGL ES1.1/2.0,OpenVG1.1,OpenCL
	RAM	DDR3, 4GB
	ROM	16GB
	USD	USB2.0 HOST(x2)
	LAN	10/100M Ethernet
	WiFi	802.1 1b/g/n
	OS	Android7.1.2
	Content control method	Wi-Fi APP, U disk, Ethernet, Cloud
	Speaker Specification	8Ω 12W x2
	GPS	Optional Features
Battery	Battery Technology	CATL Ternary lithium blade battery
	Charging Time	7 hours
	Working Time	14 hours (When the temperature is lower than 0 degrees, the running time will reduce by 10% for every 5 degrees drop)
	Batter Capacity	50000mAh
	Power Supply	24V
	Power Consumption	90W
	Energy	1088.54Wh
Mechnical	Outside Color	7 colors available
	Unit Size (WxHxD mm)	1235x586x250
	Package Size(WxHxD mm)	1335x700x300
	Footprint (WxH mm)	604.7x478
	Net Weight (Kg)	38.16
	Gross Weight(Kg)	46
Environmental	Operating Tempeaure	-20 °C to 70 °C (when the battery is charged 0 °C to 45 °C)
	Storage Temperature	-30 °C to 80 °C (battery recommended long-term strage termperature -20 °C to 25 °C)
	Operation Humidity	10% to 80%
	Storage Humidity	5% to 95%
Accessories	GPS and wheel lock	Accurate positioning and voice recording (Optional Features)
	Included	Remote Contol, User Manual, Charger, Power Cable
Warranty	Warranty Period	1 Year Warranty
	Warranty Period (Battery)	1 Year Warrenty
	Technical Support	Lifetime

Website: www.betvis.com

Phone: +86 21 57622267

Email: info@betvis.com

Address: No.865, Jiuxin Road, Shanghai,China

Schematic Drawing