16.4 inch

Original Stretched Display

BV-UW164S

Unlike the resize/ cut panels, Betvis stretched display uses native bar type displays that features a photo mask manufacturing process which ensures high quality and outstanding industrial-grade performance. The reliable commercial grade screens enable your shelf display to run smoothly 24/7.

Elevated brightness of 700nits provides extraordinary color expression and greater visibility. In addition, the Full Viewing Angle allows Native Stretched panels to display consistent, accurate color from all viewing angles.

Native Stretched display can completely avoid the flaws coming from resize/ cut panels, like broken glass, fragile sealing, micro-cracks and light leakage and so on.

Features

- ✓ Native panel with ADSDS technology
- ✓ Elevated brightness 700
- ✓ Slim design with narrow bezel
- ✓ Extraordinary color and full viewing angle
- ✓ Different solution of android and monitor optional

Schematic Drawing



Website: www.betvis.com
Email: info@betvis.com
Phone: +86 21 57622267
Address: No.865, Jiuxin Road, Shanghai,China

Specifications

MODEL		BV-UW164S
Power	Power supply	DC 12V
	Power consumption	⩽ 18 W
Option A (Monitor Solution)	Interface	USB × 1 / HDMI_IN × 1 / VGA × 1 / DC × 1
Option B (Android Solution)	CPU	ARM Coretex-A17 RK3288, Quad Core, 1.6GHz
	Memory	DDR-3, 2GB
	Storage	16 G EMMC NAND
	Operation System	Android 5.1
	Interface	RJ45 x 1, USB2.0 x 2, Power x 1, IR x 1
Environment	Operation temperature	0C°~40C°
	Operation humidity	-20-60 RH
Physical	Bezel	8.35mm (L/R) / 8.35mm (T/B)
	Body Dimension	432.3 (W) × 93.9 (H) × 34.87 (D) mm (screen deepness varies slightly with different android board)
	Set Weight	0.9Kg
	Package Dimension (4Pcs Inside)	570 (W) × 375 (H) × 155 (D) mm
	Package Weight (4Pcs Inside)	6Kg
Display	LCD Tech.	ADS
	Screen Size	16.4 inch
	Resolution	1366 × 238
	Brightness	700 nits
	BLU	E-LED
	Contrast Ratio	3000:1
	Viewing Angle(H/V)	178°/178°
	Backlight Life	30,000 Hrs (Min.)