PORTABLE DIGITAL POSTER

32/43 inch

BV-F3214/BV-F4314

www.betvis.com

Features

FOLDABLE DESIGN

FHD RESOLUTION

EASY TO MOVE

7/24 WORKING

USB PLUG&PLAY

AUTO PLAYLIST

ANDROID O/S

CMS CLOUD CONTROL

Display Solution

① CMS Android Solution

built-in



Internet Exchange

Server

wifi

ETHERNET

② USB Plug Update Solution

USB Disk Update

DSM80 Cloud Management Software

DSM8 APP
With free CMS software DSM80

B/S structure
Enter from browser and control from anywhere

Network Options
Support Ethernet & Wi-Fi, 3G/4G optional

Self-designed layout
Full or split screen display with picture, Image, audio, web, RSS, streaming video

Smart Download
Download content at preset time and download continuously from breakpoint

Password Protection
Set password for player to ensure the security of content and settings

Log Report
Statistics of playlist playback times, files and duration

Remote Control
Set player network, password, volume, brightness, on/off time, download time

Multi-level Management
different authority for different account

Streaming Media
Play IP streaming video in HTTP or RTSP protocol.

Live TV
Play Live TV / Video through HDMI in or AV Input

RSS Feeds
Update content like text, image and video from live feeds or third-party databases

Startup Screen
Make your logo image or a video clip as the player's startup screen

Schedule Function
schedule playlists by time, date and week, with loop, interval and insert

Offline Update
Offline update via USB / SD card

Data Sheet

MODEL		BV-F3214	BV-F4314
Display	Diagonal Length	32 inch	43 inch
	Resolution	1080 x 1920 Portrait	
	Display Area	698.4 x 392.8mm	940.8 x 529.3mm
	Brightness	400cd/㎡	
	Viewing Angle	89°/89°/89°/89°(L/R/U/D)	
	Aspect Ratio	16:9	
	Contrast Ratio	1200:1	
	Color	16.7M/8Bit	
	Backlight Lifespan	50,000hrs	
Android Solution	CPU	Coretex-A17 RK3288,Quad Core,1.8GHz	
	Memory	DDR-3, 2GB	
	Storage	16G EMMC NAND	
	O/S	Default Android7.1(11 optional)	
	Network	Ethernet (10/100M), Wi-Fi (802.11 b/g/n) (3G/4G Mobile network optional)	
	I/O	HDMI-out*1, USB*2, DC input*1, TF card slot*1	
Monitor Solution	I/O	HDMI-in*1, USB*1, SD card slot*1	
	Play Mode	Loop display of video / image/ image + audio	
	Support Media	Video, Image, Audio	
Dimension	Appearance	Black metal shell with	
	Net Weight	25KGS	31KGS
	Net Size	1260*450*37mm	1500*606*37mm
	Intallation	Foldable Floor Standing.	
Power	Power Input	AC 180-240V, 50/60Hz.	
	Consumption	60W	80W
Others	Speaker	2*5W	
	Working Environment	Temperature: 0℃~40℃ Humidity: 10%~90%	
	Storage Environment	Temperature: -5~50℃ Humidity: 5%~95%	
	Accesories	User Guide, Remote Control, Keys, Power Cord	

Schematic Drawing





Accessories

Antenna

Remote Control

Power Cord

Keys

Application





About Betvis

Betvis was established in 2009, with factory based in shanghai, covering over 36,000 square meters, the production base is equipped with first-class production and assembly lines, all empowered by a strong R&D team. This state-of-the-art facility can achieve a monthly output capacity over 8,000 units, with a wide range of DS products, like digital signage player, high brightness window display, floor standing kiosk, stretched display, bus LCD monitor, interctive display, DOOH device, and more.

Making a better visual of digital signage is what Betvis has been pursuing for so long. By working with customers who are as dedicated as we are, we have made this dream come true in over 70 countries. Our passion for digital signage has never diminished, which makes our lives full of challenges, motivation, and fun.

Betvis International Co.,Limited

Shanghai Betvis Information Technology Co., Ltd.

7th Floor,No.865 Jiuxin Road,Songjiang,Shanghai,China,2016 15

+86 21 57622267

info@betvis.com

www.betvis.com